

Produktsortiment

Übersicht aller DUALSHIELD C5H Produkte



DUAL^{C5H}
SHIELD

Produktübersicht DUALSHIELD C5H Beschichtung

Revision 1.0

September 2025

siFramo




siMotec



Rohrhalterungen



Anbauteile



Auslegerkonsole AK

Typ	Länge [mm]	Artikel Nr.
AK F 80/30- 400 C5H RAL 7035	400	805891
AK F 80/30- 800 C5H RAL 7035	800	805892
AK-E F 80/30- 400 C5H RAL 7035	400	805893
AK-E F 80/30- 800 C5H RAL 7035	800	805894
AK-Q F 80/30- 400 C5H RAL 7035	400	805895
AK-Q F 80/30- 800 C5H RAL 7035	800	805896
AK F 80- 400 C5H RAL 7035	400	805902
AK F 80- 800 C5H RAL 7035	800	805903
AK-E F 80- 600 C5H RAL 7035	600	805904
AK F100-1200 C5H RAL 7035	1200	805939
AK F100- 400 C5H RAL 7035	400	805937
AK F100- 800 C5H RAL 7035	800	805938
AK F100- F 80- 400 C5H RAL 7035	400	805941
AK F100- F 80- 800 C5H RAL 7035	800	805942
AK-E F100-F 80- 600 C5H RAL 7035	600	805943
AK-E F100- 600 C5H RAL 7035	600	805940
AK-E F100/160-F100-1200 C5H RAL 7035	1200	805978
AK-E F100/160-F100- 800 C5H RAL 7035	800	805977

Stirnadapter STA

Typ	Systemanbindung	Artikel Nr.
STA 100 C5H RAL 7035	Sikla Trägersystem 100	805867
STA 120 C5H RAL 7035	Sikla Trägersystem 120	805883
STA F		
STA F 80/30 C5H RAL 7035	F 80	805898
STA-E F 80/30-F 80 C5H RAL 7035	F 80	805897
STA-Q F 80/30 C5H RAL 7035	F 80	805899
STA F 80 C5H RAL 7035	F 80	805908
STA-E F 80 C5H RAL 7035	F 80	805909
STA-E F 80 45° C5H RAL 7035	F 80	805910
STA F100 C5H RAL 7035	F 100	805948
STA F100-F100/160 C5H RAL 7035	F 100	805981
STA-E F100-F100/160 C5H RAL 7035	F 100	805982
STA F100 - F 80 C5H RAL 7035	F 100	805950
STA-E F100-F 80 C5H RAL 7035	F 100	805951
STA-E F100- F 80 45° C5H RAL 7035	F 100	805952
STA-E F100 C5H RAL 7035	F 100	805949
STA-E F100/160-F100 C5H RAL 7035	F 100 / 160	805983
STA-Q F100/160 C5H RAL 7035	F 100 / 160	805984

Trägerkonsole TKO

Typ	Länge [mm]	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
TKO 100- 250 C5H RAL 7035	250	80 - 120	805841
TKO 100- 350 C5H RAL 7035	350	80 - 120	805842
TKO 100- 400 C5H RAL 7035	400	80 - 120	805843
TKO 100- 450 C5H RAL 7035	450	80 - 120	805844
TKO 100- 500 C5H RAL 7035	500	80 - 120	805845
TKO 100- 550 C5H RAL 7035	550	80 - 120	805846
TKO 100- 600 C5H RAL 7035	600	80 - 120	805847
TKO 100- 650 C5H RAL 7035	650	80 - 120	805848
TKO 100- 700 C5H RAL 7035	700	80 - 120	805849
TKO 100- 750 C5H RAL 7035	750	80 - 120	805850
TKO 100- 800 C5H RAL 7035	800	80 - 120	805851
TKO 100- 850 C5H RAL 7035	850	80 - 120	805852
TKO 100- 900 C5H RAL 7035	900	80 - 120	805853
TKO 100- 950 C5H RAL 7035	950	80 - 120	805854
TKO 100-1000 C5H RAL 7035	1000	80 - 120	805855
TKO 100-1100 C5H RAL 7035	1100	80 - 120	805856
TKO 100-1200 C5H RAL 7035	1200	80 - 120	805857
TKO 100-1300 C5H RAL 7035	1300	80 - 120	805858
TKO 100-1400 C5H RAL 7035	1400	80 - 120	805859
TKO 100-1500 C5H RAL 7035	1500	80 - 120	805860
TKO 100-2000 C5H RAL 7035	2000	80 - 120	805861
TKO 120- 350 C5H RAL 7035	350	80 - 120	805872
TKO 120- 600 C5H RAL 7035	600	80 - 120	805873
TKO 120- 800 C5H RAL 7035	800	80 - 120	805874
TKO 120-1000 C5H RAL 7035	1000	80 - 120	805875
TKO 120-1500 C5H RAL 7035	1500	80 - 120	805876
TKO 120 - 2000 C5H RAL 7035	2000	80 - 120	805877
TKO 120-3000 C5H RAL 7035	3000	80 - 120	805878
TKO F			
TKO F 80- 400 C5H RAL 7035	400	80 - 120	805906
TKO F 80- 800 C5H RAL 7035	800	80 - 120	805907
TKO F100-1200 C5H RAL 7035	1200	80 - 120	805947
TKO F100- 400 C5H RAL 7035	400	80 - 120	805945
TKO F100- 800 C5H RAL 7035	800	80 - 120	805946
TKO F100/160-1200 C5H RAL 7035	1200	121 - 160	805980
TKO F100/160- 800 C5H RAL 7035	800	121 - 160	805979

Trägerprofil TP

Typ	Länge [mm]	Hinweis	Artikel Nr.
TP 100 6m C5H RAL 7035	6000		805840
TP 120 6m C5H RAL 7035	6000		805871
TP F			
TP F 80/30 6m C5H RAL 7035	6000		805890
TP F 80 6m C5H RAL 7035	6000		805901
TP F100 6m C5H RAL 7035	6000		805936
TP F100/160 6m C5H RAL 7035	6000		805976
TP F 80/30 5,8 M C5H RAL 7035	5800	Überseecontainer 20'	807298
TP F 80 5,8 M C5H RAL 7035	5800	Überseecontainer 20'	807299
TP F100 5,8 M C5H RAL 7035	5800	Überseecontainer 20'	807300
TP F100/160 5,8 M C5H RAL 7035	5800	Überseecontainer 20'	807301

WBD-Halter

Typ	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
WBD-4KT F 80- 80/120 C5H RAL 7035	80 - 120	805911
WBD-8KT F 80- 80/120 C5H RAL 7035	80 - 120	805915
WBD-4KT F100- 80/120 C5H RAL 7035	80 - 120	805953
WBD-8KT F100- 80/120 C5H RAL 7035	80 - 120	805957
WBD-4KT F100/160-121/160 C5H RAL 7035	121 - 160	805985
WBD-4KT F100/160-161/200 C5H RAL 7035	161 - 200	805986
WBD-4KT F100/160-201/300 C5H RAL 7035	201 - 300	805987
WBD-P-4KT F 80-121/160 C5H RAL 7035	121 - 160	805912
WBD-P-4KT F 80-161/200 C5H RAL 7035	161 - 200	805913
WBD-P-4KT F 80-201/310 C5H RAL 7035	201 - 310	805914
WBD-P-4KT F100-121/160 C5H RAL 7035	121 - 160	805954
WBD-P-4KT F100-161/200 C5H RAL 7035	161 - 200	805955
WBD-P-4KT F100-201/310 C5H RAL 7035	201 - 310	805956

Winkel WD

Typ	Systemanbindung	Artikel Nr.
WD F 80 C5H RAL 7035	F 80	805931
WD F100 C5H RAL 7035	F 100	805972

Querkonsole QKO

Typ	Länge [mm]	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
QKO 100 - 600 C5H RAL 7035	600	80 - 120	805862
QKO 100 -1000 C5H RAL 7035	1000	80 - 120	805863
QKO-Q 100- 600 C5H RAL 7035	600	80 - 120	805864
QKO-Q 120-1000 C5H RAL 7035	1000	80 - 120	805882
QKO-Q 100-1000 C5H RAL 7035	1000	80 - 120	805865
QKO 120 - 600 C5H RAL 7035	600	80 - 120	805879
QKO 120 -1000 C5H RAL 7035	1000	80 - 120	805880
QKO-Q 120- 600 C5H RAL 7035	600	80 - 120	805881

Profilkupplung PK

Typ	Länge [mm]	Systemanbindung	Artikel Nr.
PK-4KT F 80 C5H RAL 7035	382	F 80	805933
PK-8KT F 80 C5H RAL 7035	280	F 80	805934
PK-4KT F100 C5H RAL 7035	442,5	F 100	805974
PK-8KT F100 C5H RAL 7035	360	F 100	805975

Adapterplatte AP

Typ	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
AP 121/160 C5H RAL 7035	121 - 160	805923
AP 161/200 C5H RAL 7035	161 - 200	805924
AP 201/240 C5H RAL 7035	201 - 240	805925
AP 241/310 C5H RAL 7035	241 - 310	805926

Anschweißadapter ASA

Typ	Systemanbindung	Artikel Nr.
ASA-4KT F 80 C5H RAL 7035	F 80	805928
ASA-8KT F 80 C5H RAL 7035	F 80	805927
ASA-4KT F100 C5H RAL 7035	F 100	805969
ASA-8KT F100 C5H RAL 7035	F 100	805968
ASA-4KT F100/160 C5H RAL 7035	F 100 / 160	805990
ASA-Q F 80 C5H RAL 7035	F 80	805929
ASA-Q F100 C5H RAL 7035	F 100	805970
ASA-QS F 80 C5H RAL 7035	F 80	805930
ASA-QS F100 C5H RAL 7035	F 100	805971

Gelenk GE

Typ	Kreuzverbindung	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
GE F100-121/160 C5H RAL 7035	F 100	121 - 160	805963
GE-Q F100-121/160 C5H RAL 7035	F 100	121 - 160	806298
GE F 80-121/160 C5H RAL 7035	F 80	121 - 160	805919
GE-Q F 80-121/160 C5H RAL 7035	F 80	121 - 160	806295
GE F100-161/200 C5H RAL 7035	F 100	161 - 200	805964
GE-Q F100-161/200 C5H RAL 7035	F 100	161 - 200	806299
GE F 80-161/200 C5H RAL 7035	F 80	161 - 200	805920
GE-Q F 80-161/200 C5H RAL 7035	F 80	161 - 200	806296
GE F100-201/310 C5H RAL 7035	F 100	201 - 310	805965
GE F 80-201/310 C5H RAL 7035	F 80	201 - 310	805921
GE-Q F100-201/310 C5H RAL 7035	F 100	201 - 310	806300
GE-Q F 80-201/310 C5H RAL 7035	F 80	201 - 310	806297
GE F100-80/120 C5H RAL 7035	F 100	80 - 120	805962
GE F 80-80/120 C5H RAL 7035	F 80	80 - 120	805918
GE F 80-F 80 C5H RAL 7035	F 80	F 80	805916
GE-Q F 80-F 80 C5H RAL 7035	F 80	F 80	805917
GE F100-F 80 C5H RAL 7035	F 80	F 100	805959
GE-Q F100-F 80 C5H RAL 7035	F 80	F 100	805961
GE F100-F100 C5H RAL 7035	F 100	F 100	805958
GE-Q F100-F100 C5H RAL 7035	F 100	F 100	805960
GE F100/160-F 80 C5H RAL 7035	F 80	F 100 / 160	805988
GE F100/160-F100 C5H RAL 7035	F 100	F 100 / 160	805989

Grundplatte GPL

Typ	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
GPL 220x220 C5H RAL 7035	80 - 120	805935

Schienenadapter SA

Typ	Kreuzverbindung	Systemanbindung	Artikel Nr.
SA F 80-41 C5H RAL 7035	MS 41	F 80	805932
SA F100-41 C5H RAL 7035	MS 41	F 100	805973

Spannbügel SB

Typ	Systemanbindung	Artikel Nr.
SB F 80/30-40 C5H RAL 7035	F 80/30	806317
SB F 80-40 C5H RAL 7035	F 80	806318
SB F100-40 C5H RAL 7035	F 100	806319
SB F100/160-40 C5H RAL 7035	F 100/160	806320

Schrägkonsole SKO

Typ	Systemanbindung	Artikel Nr.
SKO 100/120 C5H RAL 7035	F 100	805866
SKO F		
SKO F 80 C5H RAL 7035	F 80	805905
SKO F100 C5H RAL 7035	F 100	805944

T-Adapter TA

Typ	Länge [mm]	Systemanbindung	Artikel Nr.
TA 100- 200 C5H RAL 7035	200	Structural elements 100	805868
TA 100- 400 C5H RAL 7035	400	Structural elements 100	805869
TA 100- 600 C5H RAL 7035	600	Structural elements 100	805870
TA 120- 200 C5H RAL 7035	200	Structural elements 120	805884
TA 120- 400 C5H RAL 7035	400	Structural elements 120	805885
TA 120- 600 C5H RAL 7035	600	Structural elements 120	805886

Trägerkreuzverbinder TKZ

Typ	Kreuzverbindung	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
TKZ 80/120 C5H RAL 7035	80 - 120	80 - 120	806282
TKZ 121/310 C5H RAL 7035	80 - 120	121 / 310	806283

Trägerprofilhalter TPH

Typ	Kreuzverbindung	Systemanbindung	Artikel Nr.
TPH-C F 80/30 C5H RAL 7035		F 80	805900
TPH-C F 80 C5H RAL 7035		F 80	805922
TPH-C F100-F 80 C5H RAL 7035	F 80	F 100	805967
TPH-C F100 C5H RAL 7035		F 100	805966

Axialstopp AS

Typ	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
AS 140/180 C5H RAL 7035	140 - 180	806277
AS 200/220 C5H RAL 7035	200 - 220	806278
AS 240/260 C5H RAL 7035	240 - 260	806279
AS 280/300 C5H RAL 7035	280 - 300	806280
AS F		
AS F 80 C5H RAL 7035	F 80	805835
AS F100 C5H RAL 7035	F 100	805836
AS 80/120 C5H RAL 7035	80 - 120	806276

Führungsset FS

Typ	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
FS 80/120 C5H RAL 7035	80 - 120	806289
FS 140/160 C5H RAL 7035	140 - 160	806290
FS 180/220 C5H RAL 7035	180 - 220	806291
FS 240/260 C5H RAL 7035	240 - 260	806292
FS 280/300 C5H RAL 7035	280 - 300	806293
FS Z 80/120 C5H RAL 7035	80 - 120	806294

Formverbinder FV

Typ	Systemanbindung	Artikel Nr.
FV 100/120 C5H RAL 7035	Sikla Trägersystem 100/120	805887

Führungswinkel FW F

Typ	Systemanbindung	Artikel Nr.
FW-L F 80 C5H RAL 7035	F 80	805802
FW-Z F 80- 6 C5H RAL 7035	F 80	805798
FW-Z F 80- 9 C5H RAL 7035	F 80	805799
FW-Z F 80-12 C5H RAL 7035	F 80	805800
FW-Z F 80-15 C5H RAL 7035	F 80	805801
FW F 80 C5H RAL 7035	F 80	805794
FW F100 C5H RAL 7035	F 100	805795
FW-L F100 C5H RAL 7035	F 100	805807
FW-Z F100- 6 C5H RAL 7035	F 100	805803
FW-Z F100- 9 C5H RAL 7035	F 100	805804
FW-Z F100-12 C5H RAL 7035	F 100	805805
FW-Z F100-15 C5H RAL 7035	F 100	805806

Axialstopp variabel VAS

Typ	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
VAS 80/140 C5H RAL 7035	80 - 140	806273
VAS 160/260 C5H RAL 7035	160 - 260	806274
VAS 280/300 C5H RAL 7035	280 - 300	806275
VAS F		
VAS F 80 C5H RAL 7035	F 80	805837
VAS F100 C5H RAL 7035	F 100	805838

Trägerwandanbindung TWA

Typ	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
TWA C5H RAL 7035	100 - 120	806281

Festpunktset XS

Typ	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
XS 80/120 C5H RAL 7035	80 - 120	806284
XS 140/160 C5H RAL 7035	140 - 160	806285
XS 180/220 C5H RAL 7035	180 - 220	806286
XS 240/260 C5H RAL 7035	240 - 260	806287
XS 280/300 C5H RAL 7035	280 - 300	806288

Festpunktwinkel XW

Typ	Systemanbindung	Artikel Nr.
XW F 80 C5H RAL 7035	F 80	805796
XW F100 C5H RAL 7035	F 100	805797

UB - Befestigung

Typ	Systemanbindung	Artikel Nr.
UB F 1/2" - 1 1/2" C5H RAL 7035	F 80/F 100	805831
UB F 2" - 3" C5H RAL 7035	F 80/F 100	805832
UB F 378 - 530 C5H RAL 7035	F 80/F 100	805839
UB F 4" - 6" C5H RAL 7035	F 80/F 100	805833
UB F 8" - 12" C5H RAL 7035	F 80/F 100	805834

Grundplatte GPL

Typ	Kreuzverbindung	Systemanbindung	Artikel Nr.
GPL F 80 1/2" C5H RAL 7035	1/2" Rohr	F 80	806305
GPL F 80 M10 C5H RAL 7035	M10	F 80	806306
GPL F 80 M12 C5H RAL 7035	M12	F 80	806307
GPL F 80 M16 C5H RAL 7035	M16	F 80	806308
GPL-ST F 80 1/2" C5H RAL 7035	1/2" Rohr	F 80	806301
GPL F100 1/2" C5H RAL 7035	1/2" Rohr	F 100	806309
GPL F100 M10 C5H RAL 7035	M10	F 100	806310
GPL F100 M12 C5H RAL 7035	M12	F 100	806311
GPL F100 M16 C5H RAL 7035	M16	F 100	806312
GPL-ST F100 1" C5H RAL 7035	1" Rohr	F 100	806303
GPL-ST F100 1/2" C5H RAL 7035	1/2" Rohr	F 100	806302
GPL-ST 1/2" C5H RAL 7035	1/2" Rohr	MS 41	806316
GPL-ST M10 C5H RAL 7035	M10	MS 41	806313
GPL-ST M12 C5H RAL 7035	M12	MS 41	806314
GPL-ST M16 C5H RAL 7035	M16	MS 41	806315
GPL-ST R 1/2" 100 C5H RAL 7035	1/2" Rohr	Sikla Trägersystem 100, MS 41	806304

Bügelschelle RUC-I

Typ	Kreuzverbindung	Systemanbindung	Artikel Nr.
RUC-I MP 22 C5H RAL 7035	DN 15	F 80/F 100	805808
RUC-I MP 28 C5H RAL 7035	DN 20	F 80/F 100	805809
RUC-I MP 35 C5H RAL 7035	DN 25	F 80/F 100	805810
RUC-I MP 43 C5H RAL 7035	DN 32	F 80/F 100	805811
RUC-I MP 49 C5H RAL 7035	DN 40	F 80/F 100	805812
RUC-I MP 62 C5H RAL 7035	DN 50	F 80/F 100	805813
RUC-I MP 77 C5H RAL 7035	DN 65	F 80/F 100	805814
RUC-I MP 90 C5H RAL 7035	DN 80	F 80/F 100	805815
RUC-I MP 116 C5H RAL 7035	DN 100	F 80/F 100	805816
RUC-I MP 141 C5H RAL 7035	DN 125	F 80/F 100	805817
RUC-I MP 170 C5H RAL 7035	DN 150	F 80/F 100	805818
RUC-I MP 221 C5H RAL 7035	DN 200	F 80/F 100	805819
RUC-I MP 275 C5H RAL 7035	DN 250	F 80/F 100	805820
RUC-I MP 325 C5H RAL 7035	DN 300	F 80/F 100	805821

Rohrschelle STABIL-I 1/2"

Typ	Schellengrößen	Kreuzverbindung	Artikel Nr.
STABIL-I 1/2" 22 C5H RAL 7035	DN 15	1/2" Pipe	805822
STABIL-I 1/2" 27 C5H RAL 7035	DN 20	1/2" Pipe	805823
STABIL-I 1/2" 34 C5H RAL 7035	DN 25	1/2" Pipe	805824
STABIL-I 1/2" 44 C5H RAL 7035	DN 32	1/2" Pipe	805825
STABIL-I 1/2" 49 C5H RAL 7035	DN 40	1/2" Pipe	805826
STABIL-I 1/2" 61 C5H RAL 7035	DN 50	1/2" Pipe	805827
STABIL-I 1/2" 77 C5H RAL 7035	DN 65	1/2" Pipe	805828
STABIL-I 1/2" 89 C5H RAL 7035	DN 80	1/2" Pipe	805829
STABIL-I 1/2" 115 C5H RAL 7035	DN 100	1/2" Pipe	805830

Gitterrostauflage AG

Typ	Hinweis	Trägeranbindung Flanschbreite [mm]	Artikel Nr.
AG 80/310 - 160X360 C5H RAL 7035	Grating support	80 - 310	807297

LA - Lager HV 90

Typ	Spannbe- reich[mm]	DN	Zoll	Gewicht [kg]	MoP Centerline	Artikel Nr.
LA-HV 90 18-22 (DN 15) C5H RAL 7035	18-22	15	1/2"	2,8	97,5-124,5	805686
LA-HV 90 23-27 (DN 20) C5H RAL 7035	23-27	20	3/4"	2,8	100-127	805687
LA-HV 90 30-34 (DN 25) C5H RAL 7035	30-34	25	1"	2,9	103,5-130,5	805688
LA-HV 90 40-44 (DN 32) C5H RAL 7035	40-44	32	1 1/4"	2,9	108,5-135,5	805689
LA-HV 90 45-49 (DN 40) C5H RAL 7035	45-49	40	1 1/2"	3	111-138	805690
LA-HV 90 57-61 (DN 50) C5H RAL 7035	57-61	50	2"	3,1	117-144	805691
LA-HV 90 72-77 (DN 65) C5H RAL 7035	72-77	65	2 1/2"	3,2	124,5-152	805692
LA-HV 90 84-89 (DN 80) C5H RAL 7035	84-89	80	3"	3,3	130,5-158	805693
LA-HV 90 109-115 (DN 100) C5H RAL 7035	109-115	100	4"	3,6	143-171	805694
LA-HV 90 134-140 (DN 125) C5H RAL 7035	134-140	125	5"	3,7	155,5-183,5	805695
LA-HV 90 163-169 (DN 150) C5H RAL 7035	163-169	150	6"	4,8	170-198	805696

LA - Lager HV 150

Typ	Spannbe- reich[mm]	DN	Zoll	Gewicht [kg]	MoP Centerline	Artikel Nr.
LA-HV 150 18-22 (DN 15) C5H RAL 7035	18-22	15	1/2"	3,1	125-179,5	805697
LA-HV 150 23-27 (DN 20) C5H RAL 7035	23-27	20	3/4"	3,1	127,5-182	805698
LA-HV 150 30-34 (DN 25) C5H RAL 7035	30-34	25	1"	3,2	131-185,5	805699
LA-HV 150 40-44 (DN 32) C5H RAL 7035	40-44	32	1 1/4"	3,2	136-190,5	805700
LA-HV 150 45-49 (DN 40) C5H RAL 7035	45-49	40	1 1/2"	3,3	138,5-193	805701
LA-HV 150 57-61 (DN 50) C5H RAL 7035	57-61	50	2"	3,5	144,5-199	805702
LA-HV 150 72-77 (DN 65) C5H RAL 7035	72-77	65	2 1/2"	3,6	152-207	805703
LA-HV 150 84-89 (DN 80) C5H RAL 7035	84-89	80	3"	3,6	158-213	805704
LA-HV 150 109-115 (DN 100) C5H RAL 7035	109-115	100	4"	3,9	170,5-226	805705
LA-HV 150 134-140 (DN 125) C5H RAL 7035	134-140	125	5"	4,1	183-238,5	805706
LA-HV 150 163-169 (DN 150) C5H RAL 7035	163-169	150	6"	5,1	197,5-253	805707

LA - Lager HV 200

Typ	Spannbe- reich[mm]	DN	Zoll	Gewicht [kg]	MoP Centerline	Artikel Nr.
LA-HV 200 18-22 (DN 15) C5H RAL 7035	18-22	15	1/2"	3,5	180-234,5	805708
LA-HV 200 23-27 (DN 20) C5H RAL 7035	23-27	20	3/4"	3,5	182,5-237	805709
LA-HV 200 30-34 (DN 25) C5H RAL 7035	30-34	25	1"	3,5	186-240,5	805710
LA-HV 200 40-44 (DN 32) C5H RAL 7035	40-44	32	1 1/4"	3,6	191-245,5	805711
LA-HV 200 45-49 (DN 40) C5H RAL 7035	45-49	40	1 1/2"	3,6	193,5-248	805712
LA-HV 200 57-61 (DN 50) C5H RAL 7035	57-61	50	2"	3,8	199,5-254	805713
LA-HV 200 72-77 (DN 65) C5H RAL 7035	72-77	65	2 1/2"	3,9	207-262	805714
LA-HV 200 84-89 (DN 80) C5H RAL 7035	84-89	80	3"	3,9	213-268	805715
LA-HV 200 109-115 (DN 100) C5H RAL 7035	109-115	100	4"	4,3	225,5-281	805716
LA-HV 200 134-140 (DN 125) C5H RAL 7035	134-140	125	5"	4,4	238-293,5	805717
LA-HV 200 163-169 (DN 150) C5H RAL 7035	163-169	150	6"	5,4	252,5-308	805718

LC - Lager HV 90

Typ	Spannbe- reich[mm]	DN	Zoll	Gewicht [kg]	MoP Centerline	Artikel Nr.
LC-HV 90 18-22 (DN 15) C5H RAL 7035	18-22	15	1/2"	3,5	97,5-124,5	805719
LC-HV 90 23-27 (DN 20) C5H RAL 7035	23-27	20	3/4"	3,5	100-127	805720
LC-HV 90 30-34 (DN 25) C5H RAL 7035	30-34	25	1"	3,6	103,5-130,5	805721
LC-HV 90 40-44 (DN 32) C5H RAL 7035	40-44	32	1 1/4"	3,7	108,5-135,5	805722
LC-HV 90 45-49 (DN 40) C5H RAL 7035	45-49	40	1 1/2"	3,7	111-138	805723
LC-HV 90 57-61 (DN 50) C5H RAL 7035	57-61	50	2"	4,1	117-144	805724
LC-HV 90 72-77 (DN 65) C5H RAL 7035	72-77	65	2 1/2"	4,3	124,5-152	805725
LC-HV 90 84-89 (DN 80) C5H RAL 7035	84-89	80	3"	4,4	130,5-158	805726
LC-HV 90 109-115 (DN 100) C5H RAL 7035	109-115	100	4"	5,1	143-171	805727
LC-HV 90 134-140 (DN 125) C5H RAL 7035	134-140	125	5"	5,4	155,5-183,5	805728
LC-HV 90 163-169 (DN 150) C5H RAL 7035	163-169	150	6"	7,1	170-198	805729
LC-HV 90 215-221 (DN 200) C5H RAL 7035	215-221	200	8"	8,3	196-224	805730
LC-HV 90 266-273 (DN 250) C5H RAL 7035	266-273	250	10"	11,1	221,5-250	805731
LC-HV 90 317-324 (DN 300) C5H RAL 7035	317-324	300	12"	12,0	247-275,5	805732

LC - Lager HV 150

Typ	Spannbe- reich[mm]	DN	Zoll	Gewicht [kg]	MoP Centerline	Artikel Nr.
LC-HV 150 18-22 (DN 15) C5H RAL 7035	18-22	15	1/2"	4,0	125-179,5	805733
LC-HV 150 23-27 (DN 20) C5H RAL 7035	23-27	20	3/4"	4,0	127,5-182	805734
LC-HV 150 30-34 (DN 25) C5H RAL 7035	30-34	25	1"	4,0	131-185,5	805735
LC-HV 150 40-44 (DN 32) C5H RAL 7035	40-44	32	1 1/4"	4,1	136-190,5	805736
LC-HV 150 45-49 (DN 40) C5H RAL 7035	45-49	40	1 1/2"	4,2	138,5-193	805737
LC-HV 150 57-61 (DN 50) C5H RAL 7035	57-61	50	2"	4,6	144,5-199	805738
LC-HV 150 72-77 (DN 65) C5H RAL 7035	72-77	65	2 1/2"	4,8	152-207	805739
LC-HV 150 84-89 (DN 80) C5H RAL 7035	84-89	80	3"	4,9	158-213	805740
LC-HV 150 109-115 (DN 100) C5H RAL 7035	109-115	100	4"	5,5	170,5-226	805741
LC-HV 150 134-140 (DN 125) C5H RAL 7035	134-140	125	5"	5,8	183-238,5	805742
LC-HV 150 163-169 (DN 150) C5H RAL 7035	163-169	150	6"	7,8	197,5-253	805743
LC-HV 150 215-221 (DN 200) C5H RAL 7035	215-221	200	8"	8,8	223,5-279	805744
LC-HV 150 266-273 (DN 250) C5H RAL 7035	266-273	250	10"	11,6	249-305	805745
LC-HV 150 317-324 (DN 300) C5H RAL 7035	317-324	300	12"	12,6	274,5-330,5	805746

LC - Lager HV 200

Typ	Spannbe- reich[mm]	DN	Zoll	Gewicht [kg]	MoP Centerline	Artikel Nr.
LC-HV 200 18-22 (DN 15) C5H RAL 7035	18-22	15	1/2"	4,5	180-234,5	805747
LC-HV 200 23-27 (DN 20) C5H RAL 7035	23-27	20	3/4"	4,5	182,5-237	805748
LC-HV 200 30-34 (DN 25) C5H RAL 7035	30-34	25	1"	4,6	186-240,5	805749
LC-HV 200 40-44 (DN 32) C5H RAL 7035	40-44	32	1 1/4"	4,9	191-245,5	805750
LC-HV 200 45-49 (DN 40) C5H RAL 7035	45-49	40	1 1/2"	4,9	193,5-248	805751
LC-HV 200 57-61 (DN 50) C5H RAL 7035	57-61	50	2"	5,2	199,5-254	805752
LC-HV 200 72-77 (DN 65) C5H RAL 7035	72-77	65	2 1/2"	5,3	207-262	805753
LC-HV 200 84-89 (DN 80) C5H RAL 7035	84-89	80	3"	5,4	213-268	805754
LC-HV 200 109-115 (DN 100) C5H RAL 7035	109-115	100	4"	6,1	225,5-281	805755
LC-HV 200 134-140 (DN 125) C5H RAL 7035	134-140	125	5"	6,2	238-293,5	805756
LC-HV 200 163-169 (DN 150) C5H RAL 7035	163-169	150	6"	8,4	252,5-308	805757
LC-HV 200 215-221 (DN 200) C5H RAL 7035	215-221	200	8"	9,5	278,5-334	805758
LC-HV 200 266-273 (DN 250) C5H RAL 7035	266-273	250	10"	12,0	304-360	805759
LC-HV 200 317-324 (DN 300) C5H RAL 7035	317-324	300	12"	13,0	329,5-385,5	805760

LD - Lager HV 90

Typ	Spannbe- reich[mm]	DN	Zoll	Gewicht [kg]	MoP Centerline	Artikel Nr.
LD-HV 90 215-221 (DN 200) C5H RAL 7035	215-221	200	8"	11,9	196-224	805761
LD-HV 90 266-273 (DN 250) C5H RAL 7035	266-273	250	10"	14,5	221,5-250	805762
LD-HV 90 317-324 (DN 300) C5H RAL 7035	317-324	300	12"	15,7	247-275,5	805763
LD-HV 90 349-356 (DN 350) C5H RAL 7035	349-356	350	14"	16,6	263-291,5	805764
LD-HV 90 397-407 (DN 400) C5H RAL 7035	397-407	400	16"	19	287-317	805765
LD-HV 90 498-508 (DN 500) C5H RAL 7035	498-508	500	20"	22,4	337,5-367,5	805766
LD-HV 90 600-610 (DN 600) C5H RAL 7035	600-610	600	24"	25,1	388,5-418,5	805767

LD - Lager HV 150

Typ	Spannbe- reich[mm]	DN	Zoll	Gewicht [kg]	MoP Centerline	Artikel Nr.
LD-HV 150 215-221 (DN 200) C5H RAL 7035	215-221	200	8"	13,2	223,5-279	805768
LD-HV 150 266-273 (DN 250) C5H RAL 7035	266-273	250	10"	15,9	249-305	805769
LD-HV 150 317-324 (DN 300) C5H RAL 7035	317-324	300	12"	17	274,5-330,5	805770
LD-HV 150 349-356 (DN 350) C5H RAL 7035	349-356	350	14"	18,1	290,5-346,5	805771
LD-HV 150 397-407 (DN 400) C5H RAL 7035	397-407	400	16"	20,4	314,5-372	805772
LD-HV 150 498-508 (DN 500) C5H RAL 7035	498-508	500	20"	24,1	365-422,5	805773
LD-HV 150 600-610 (DN 600) C5H RAL 7035	600-610	600	24"	26,4	416-473,5	805774

LD - Lager HV 200

Typ	Spannbe- reich[mm]	DN	Zoll	Gewicht [kg]	MoP Centerline	Artikel Nr.
LD-HV 200 215-221 (DN 200) C5H RAL 7035	215-221	200	8"	14,3	278,5-334	805775
LD-HV 200 266-273 (DN 250) C5H RAL 7035	266-273	250	10"	16,9	304-360	805776
LD-HV 200 317-324 (DN 300) C5H RAL 7035	317-324	300	12"	18	329,5-385,5	805777
LD-HV 200 349-356 (DN 350) C5H RAL 7035	349-356	350	14"	19	345,5-401,5	805778
LD-HV 200 397-407 (DN 400) C5H RAL 7035	397-407	400	16"	21,4	369,5-427	805779
LD-HV 200 498-508 (DN 500) C5H RAL 7035	498-508	500	20"	24,8	420-477,5	805780
LD-HV 200 600-610 (DN 600) C5H RAL 7035	600-610	600	24"	27,5	471-528,5	805781

LK - Lager HV 150

Typ	Spannbereich [mm]	DN	Gewicht [kg]	Bottom of Pipe	MoP Centerline	Artikel Nr.
LK-HV 150 DN 25 (1") C5H RAL 7035	33,7	25	4,1	137,5-167,5	154,35-184,35	805782
LK-HV 150 DN 32 (1 1/4") C5H RAL 7035	42,4	32	4,2	137,5-167,5	158,7-188,7	805783
LK-HV 150 DN 40 (1 1/2") C5H RAL 7035	48,3	40	4,3	137,5-167,5	161,65-191,65	805784
LK-HV 150 DN 50 (2") C5H RAL 7035	60,3	50	4,4	137,5-167,5	167,65-197,65	805785
LK-HV 150 DN 65 (2 1/2") C5H RAL 7035	76,1	65	6,2	147,5-177,5	185,55-215,55	805786
LK-HV 150 DN 80 (3") C5H RAL 7035	88,9	80	6,6	147,5-177,5	191,95-221,95	805787
LK-HV 150 DN 100 (4") C5H RAL 7035	114,3	100	12,0	150-180	207,15-237,15	805788
LK-HV 150 DN 125 (5") C5H RAL 7035	139,7	125	13,9	150-180	219,85-249,85	805789
LK-HV 150 DN 150 (6") C5H RAL 7035	168,3	150	14,5	150-180	234,15-264,15	805790
LK-HV 150 DN 200 (8") C5H RAL 7035	219,1	200	16,6	150-180	259,55-289,55	805791
LK-HV 150 DN 250 (10") C5H RAL 7035	273,0	250	18,6	150-180	286,5-316,5	805792
LK-HV 150 DN 300 (12") C5H RAL 7035	323,9	300	24,2	150-160	311,95-321,95	805793



International Sales

Sikla GmbH
In der Lache 17
78056 VS-Schwenningen

Telefon 07720 948 0
inquiries.de@sikla.com

www.sikla.com